



# AUTOMANN<sup>USA</sup>

*The ride parts for heavy duty... assured*

## AIR SPRINGS CATALOG




**AIR SPRINGS**  
*German Engineered  
OEM Quality Replacements*

Manufactured by  **PHOENIX** 




ISO 9001:2000  
CERTIFIED

# PRODUCT DESCRIPTION



1. The crimped plate serves to fasten the air spring bellow to the vehicle's frame.
2. The bumper restricts the air spring stroke and ensures the emergency operation properties.
3. The actual springing element, i.e., an air spring bellow, consists of: internal reinforcement material, stabilizing brackets and external covering.
4. The clamping plate produces a connecting link between the air spring and piston; which can either be vulcanized on, or constructed as a true clamping element, according to the item.
5. The piston produces a connection between the air spring and axle.
6. The central ring acts to stabilize the air spring.



The ride parts for heavy duty... assured



|                                    |                    |
|------------------------------------|--------------------|
| Product Description .....          | Inside Front Cover |
| Warranty .....                     | 2                  |
| Primary Causes of Failure .....    | 3                  |
| Rolling Lobe .....                 | 4-10               |
| Double Convoluted .....            | 11-13              |
| Height Control Valves .....        | 14                 |
| Air Spring Brackets .....          | 15                 |
| Cross Reference                    |                    |
| Manufacturer to Automann .....     | 16-20              |
| Firestone to Automann .....        | 21                 |
| Goodyear to Automann .....         | 22                 |
| Triangle to Automann .....         | 23                 |
| Index/Bellow Cross Reference ..... | 24                 |

Automann USA warrants that its Air Springs are manufactured by the best manufacturers in the automotive industry world-wide, and meet or exceed required specifications generally accepted for that part. Automann also warrants that the Air Springs distributed are free from defects and workmanship.

Warranty will not apply to conditions resulting from misuse, negligence, alterations, accidents or improper installation, maintenance or subject to abnormal conditions of use. Automann will, at its sole option, repair or replace those parts which are found to be defective in either material or workmanship providing that actual notification is received in writing from the buyer of the alleged defect within sixty (60) days from the date of purchase. Time is of the essence and failure to provide such written notice within sixty (60) days will fully and completely release Automann and its distributors from any obligation or liability for the breach of warranty.

Our liability is limited to replacement or repair of such parts that have been found defective by us and will not cover any labor charges or any consequential or incidental damages or expense arising from their use.

EXCEPT AS SET FORTH - HEREIN, AND EXCEPT AS TO TITLE, IT IS EXPRESSLY AGREED (A) THAT THERE IS NO WARRANTY OR MERCHANTABILITY OR FITNESS A PARTICULAR PURPOSE, NOR OTHER WARRANTY, EXPRESSED, IMPLIED OR STATUTORY, NOR ANY AFFIRMATION OF FACT, OR PROMISES BY AUTOMANN AND ITS DISTRIBUTORS WITH REFERENCE TO THE GOODS WHICH EXTEND BEYOND THE SPECIFICATIONS IF ANY MUTUALLY AGREED UPON BY AUTOMANN AND ITS DISTRIBUTORS AND THE BUYER AND (B) THAT BUYER ACKNOWLEDGES THAT IT IS PURCHASING THE GOODS SOLELY ON THE BASIS OF THE COMMITMENTS OF AUTOMANN AND ITS DISTRIBUTORS EXPRESSLY SET FORTH HEREIN. NO PERSON IS AUTHORIZED TO CHANGE OR ADD TO ANY OF AUTOMANN AND ITS DISTRIBUTORS OBLIGATION UNDER THIS WARRANTY. IN NO EVENT SHALL AUTOMANN AND ITS DISTRIBUTORS BE LIABLE FOR ANTICIPATED PROFITS OR FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Buyer agrees to indemnify and hold Automann and its distributors harmless from and against any loss, injury or damages, to person or property that extends beyond the warranties set forth above, whether the claim against Automann and its distributors are incidental or consequential.

Manufacturers and Replacement part supplier numbers, symbols or other particulars are used in the catalog and price list for reference only, and in no case do we imply that any part listed is the product of these manufacturers. All part numbers and any dimensions shown are for reference only and we will not accept responsibility for incorrect assumptions or fitments concluded from our information.

## ABRASION

### **CAUSES:**

1. Contact or interference with loose attaching parts; such as air supply lines, brackets, and broken or loose shocks
2. Contact with foreign objects such as road debris (rock, gravel, etc.)
3. Improper inflation

## CONTAMINATION

### **CAUSES:**

1. Debris buildup on piston and top plate
2. Excessive oil and grease from surrounding parts, such as the driveline, axle, & 5th wheel
3. Malfunctioning air compressors

## FATIGUE

### **CAUSES:**

1. Constant up and down motion of air spring
2. Continued contact and exposure to debris
3. Rusting of top plate

## MISALIGNMENT

### **CAUSES:**

1. Improper axle and suspension installation. Causes include wrong or worn bushings, pins, shocks, etc.

## OVER-EXTENSION

### **CAUSES:**

1. Defective height control valve
2. Excessive axle travel
3. Incorrect or damaged shock absorbers
4. Ride position too high
5. Wrong air spring

# ROLLING LOBE

|                                                                                                                                            | CROSS SECTION VIEW | TOP PLATE VIEW | PISTON BOTTOM VIEW | REPLACES                                                                                                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PART #</b><br>1D28C-9122<br><br><b>WEIGHT</b><br>24.65 lbs.<br><br><b>SERVICE ASSY. #</b><br>1D28C-9124<br><br><b>BELLOW #</b><br>1D28C |                    |                |                    | Firestone: 9122<br>Goodyear: 1R14-045<br>Hendrickson: S3467, S3830, S36514-2, S36514-8, S12514-008, 010<br>Load Guard (Leland): SC2098<br>Navistar: 1681748C1, 1681749C1<br>Neway: 90557020, 90557071, 90557076, 90557077<br>Reyco: 1288302<br>Ridewell: 1003589122C<br>Sauer: P50-732<br>Triangle: 8313<br>Watson & Chalin: AS0023                       |
| <b>PART #</b><br>1D28G-9121<br><br><b>WEIGHT</b><br>23.76 lbs.<br><br><b>SERVICE ASSY. #</b><br>1D28G-9123<br><br><b>BELLOW #</b><br>1D28G |                    |                |                    | Firestone: 9121<br>Goodyear: 1R13-039<br>Hendrickson: S13160<br>Load Guard (Leland): SC2040<br>Navistar: 554773C1<br>Neway: 90557019, 90557052, 90557078, 90557083, AR11151G, 90557110 (parallel align.)<br>R & S Truck & Body: 1090023<br>Reyco: 1288202<br>Ridewell: 1003589121C, S3052C<br>Sauer: P50-733<br>Triangle: 8317<br>Watson & Chalin: AS0013 |
| <b>PART #</b><br>1DK20D-9422<br><br><b>WEIGHT</b><br>12.10 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>1DK20D       |                    |                |                    | Firestone: 9422<br>Goodyear: 1R11-028<br>Hendrickson: S13032<br>Kenworth: K3036, K30314, K30315<br>Load Guard (Leland): SC2050<br>Navistar: 554762C1<br>Triangle: 8314<br>Watson & Chalin: AS0017                                                                                                                                                         |
| <b>PART #</b><br>1DK20F-9293<br><br><b>WEIGHT</b><br>11.60 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>1DK20F       |                    |                |                    | Firestone: 9293<br>Goodyear: 1R10-120<br>Neway: 90557120<br>Triangle: 8424                                                                                                                                                                                                                                                                                |

● Bolt or Stud 1/2-13    ● Thread Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 in Pistons    ⊗ Air Inlet 1/4 N.P.T.  
 ⊗ Combination Stud/Air Inlet    Stud Outside Thread is 3/4-16    Studs Inside Thread (Air Inlet) is 1/4 N.P.T.



|                                                                                                                                               | CROSS SECTION VIEW | TOP PLATE VIEW | PISTON BOTTOM VIEW | REPLACES                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PART #</b><br>1DK20F-9295<br><br><b>WEIGHT</b><br>12.10 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>1DK20F          |                    |                |                    | Firestone: 9295<br>Goodyear: 1R11-166<br>Neway: 90557121<br>Triangle: 8417                                                                                                                                                                                                                                                                                                    |
| <b>PART #</b><br>1DK20G-9622<br><br><b>WEIGHT</b><br>11.58 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>1DK20G          |                    |                |                    | Firestone: 9622<br>Goodyear: 1R111-221<br>Kenworth: K30322,<br>Airglide 200 - 40,000lbs<br>1998 & Later<br>Triangle: 8537<br><br>Supersedes: K303-18, 9617,<br>1R11-219                                                                                                                                                                                                       |
| <b>PART #</b><br>1DK20H-9625<br><br><b>WEIGHT</b><br>14.62 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>1DK20H          |                    |                |                    | Firestone: 9625<br>Goodyear: 1R11-222<br>Kenworth: K30325,<br>Airglide 200 - 46,000lbs<br>1998 & Later<br>Triangle: 8538<br><br>Supersedes: K303-19, 9618,<br>1R11-220                                                                                                                                                                                                        |
| <b>PART #</b><br>1DK23F-9039<br><br><b>WEIGHT</b><br>16.75 lbs.<br><br><b>SERVICE ASSY. #</b><br>1DK23F-0702<br><br><b>BELLOW #</b><br>1DK23F |                    |                |                    | Fab-Tek: 101827<br>Firestone: 9039<br>Goodyear: 1R12-095<br>Hendrickson: S2064, S11650<br>Hutchens: H9424-01, H9424-03<br>Load Guard (Leland): SC2033<br>Navistar: 554766C1<br>Neway: 90557011, 90557085,<br>90557023, AR15171F,<br>AR15171G, 90557129<br>R & S Truck & Body: 1090218<br>Ridewell: 1013589039C<br>Sauer: P50-734<br>Triangle: 8311<br>Watson & Chalin: AS0012 |



● Bolt or Stud 1/2-13    ● Thread Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 in Pistons    ⊗ Air Inlet 1/4 N.P.T.  
 ⊗ Combination Stud/Air Inlet    Stud Outside Thread is 3/4-16    Studs Inside Thread (Air Inlet) is 1/4 N.P.T.

# ROLLING LOBE

|                                                                                                                                   | CROSS SECTION VIEW | TOP PLATE VIEW | PISTON BOTTOM VIEW | REPLACES                                                                                                                                                                                                                      |
|-----------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PART #</b><br>1DK23H-9105<br><b>WEIGHT</b><br>16.68 lbs.<br><b>SERVICE ASSY. #</b><br>1DK23H-0725<br><b>BELLOW #</b><br>1DK23H |                    |                |                    | Firestone: 9105<br>Goodyear: 1R12-132<br>Granning: 5065<br>Hendrickson: S1245<br>Load Guard (Leland): SC2039<br>Navistar: 554770C1<br>Ridewell: 1003589105C<br>Triangle: 8319<br>Watson & Chalin: AS0015                      |
| <b>PART #</b><br>1DK23I-9069<br><b>WEIGHT</b><br>14.45 lbs.<br><b>SERVICE ASSY. #</b><br>1DK23I-0709<br><b>BELLOW #</b><br>1DK23I |                    |                |                    | Firestone: 9069<br>Goodyear: 1R12-069<br>Hendrickson: S13031<br>Load Guard (Leland): SC2034<br>Navistar: 554764C1<br>Peterbilt: 03-02456<br>03-04759, 03-01649<br>03-06746, 03-07112<br>03-02038 (Air-Trac)<br>Triangle: 8312 |
| <b>PART #</b><br>1DK23I-9270<br><b>WEIGHT</b><br>23.15 lbs.<br><b>SERVICE ASSY. #</b><br>NA<br><b>BELLOW #</b><br>1DK23I          |                    |                |                    | Firestone: 9270<br>Goodyear: 1R13-119<br>Hendrickson: S20010<br>Triangle: 8433                                                                                                                                                |
| <b>PART #</b><br>1DK23I-9780<br><b>WEIGHT</b><br>24.00 lbs.<br><b>SERVICE ASSY. #</b><br>NA<br><b>BELLOW #</b><br>1DK23I          |                    |                |                    | Firestone: 9780<br>Freightliner: 6813200017(alum.)<br>1613810000 (plastic)<br>Goodyear: 1R12-303<br>Triangle: 8382                                                                                                            |

● Bolt or Stud 1/2-13   
⊕ Thread Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 in Pistons   
⊗ Air Inlet 1/4 N.P.T.  
⊗ Combination Stud/Air Inlet   
Stud Outside Thread is 3/4-16   
Studs Inside Thread (Air Inlet) is 1/4 N.P.T.

|                                                                                                                                               | CROSS SECTION VIEW | TOP PLATE VIEW | PISTON BOTTOM VIEW | REPLACES                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------|--------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PART #</b><br>1DK23K-9026<br><br><b>WEIGHT</b><br>14.80 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>1DK23K          |                    |                |                    | Firestone: 9026<br>Goodyear: 1R12-567<br>Peterbilt: 03-06213,<br>03-07111 (Low Air Leaf)<br>Triangle: 8393                                                                                                                                                                                                                                                                                                                                     |
| <b>PART #</b><br>1DK23K-9082<br><br><b>WEIGHT</b><br>20.94 lbs.<br><br><b>SERVICE ASSY. #</b><br>1DK23K-0712<br><br><b>BELLOW #</b><br>1DK23K |                    |                |                    | Firestone: 9082<br>Goodyear: 1R12-092<br>Hendrickson: S11651,<br>S12514-007, S2066, S36514-7<br>Hutchens: H9630-01<br>Kwik Lok/Todco: (Jifflox) CP5125,<br>CP5152<br>Load Guard (Leland): SC2035<br>Navistar: 517559C9<br>Neway: 90557006, 90557027,<br>90557033 (special mounting),<br>90557037, 90557054,<br>90557075<br>R & S Truck & Body: 1090217<br>Reyco: 1288201<br>Ridewell: 1003589082C<br>Triangle: 8310<br>Watson & Chalin: AS0011 |
| <b>PART #</b><br>1DK23K-9083<br><br><b>WEIGHT</b><br>20.14 lbs.<br><br><b>SERVICE ASSY. #</b><br>1DK23K-9080<br><br><b>BELLOW #</b><br>1DK23K |                    |                |                    | Firestone: 9083<br>Goodyear: 1R12-066<br>Granning: 1528, 1359<br>Hendrickson: S1561<br>Load Guard (Leland):<br>SC2036<br>Navistar: 554763C1<br>Neway: 57009083<br>Ridewell: 1003589083C<br>Triangle: 8333<br>Watson & Chalin: AS0028                                                                                                                                                                                                           |
| <b>PART #</b><br>1DK23K-9213<br><br><b>WEIGHT</b><br>21.00 lbs.<br><br><b>SERVICE ASSY. #</b><br>1DK23K-0748<br><br><b>BELLOW #</b><br>1DK23K |                    |                |                    | Firestone: 9213<br>Goodyear: 1R12-090<br>Load Guard (Leland): SC2048<br>Navistar: 1660581C1<br>501559C1, 501559C2<br>Triangle: 8407                                                                                                                                                                                                                                                                                                            |



● Bolt or Stud 1/2-13    ● Thread Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 in Pistons    ⊗ Air Inlet 1/4 N.P.T.  
 ⊗ Combination Stud/Air Inlet    Stud Outside Thread is 3/4-16    Studs Inside Thread (Air Inlet) is 1/4 N.P.T.

# ROLLING LOBE

|                                                                                                                                               | CROSS SECTION VIEW | TOP PLATE VIEW | PISTON BOTTOM VIEW | REPLACES                                                                                                                                                                                                                                                          |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PART #</b><br>1DK23K-9219<br><br><b>WEIGHT</b><br>21.00 lbs.<br><br><b>SERVICE ASSY. #</b><br>1DK23K-0748<br><br><b>BELLOW #</b><br>1DK23K |                    |                |                    | Firestone: 9219<br>Goodyear: 1R12-182,<br>Load Guard (Leland): SC2070<br>Navistar: 1681739C1<br>Triangle: 8408<br>Volvo/GM: 350033201,<br>350033203, 350033204,<br>350033209                                                                                      |
| <b>PART #</b><br>1DK23K-9466<br><br><b>WEIGHT</b><br>16.50 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>1DK23K          |                    |                |                    | Firestone: 9466<br>Ford: E9HZ5580A<br>Goodyear: 1R12-365<br>Hendrickson: 49048<br>Hendrickson/Mack: 49674,<br>49674-1, 49674-2<br>Load Guard (Leland): SC2175<br>Mack: 57QL411M<br>Triangle: 8410                                                                 |
| <b>PART #</b><br>1DK23L-9101<br><br><b>WEIGHT</b><br>25.35 lbs.<br><br><b>SERVICE ASSY. #</b><br>1DK23L-9102<br><br><b>BELLOW #</b><br>1DK23L |                    |                |                    | Firestone: 9101<br>Goodyear: 1R12-103<br>Load Guard (Leland): SC2038<br>Neway: 90044701, 90557008,<br>90557009, 90557082,<br>AR14151F<br>Reyco: 12883-01<br>Ridewell: 1003589101C<br>Triangle: 8315<br>Truckstell (Marion Mfg.): 63647<br>Watson & Chalin: AS0040 |
| <b>PART #</b><br>1DK23L-9130<br><br><b>WEIGHT</b><br>17.63 lbs.<br><br><b>SERVICE ASSY. #</b><br>1DK23L-130<br><br><b>BELLOW #</b><br>1DK23L  |                    |                |                    | Firestone: 9130<br>Fruehauf: UCE93931<br>Goodyear: 1R12-281<br>Triangle: 8321                                                                                                                                                                                     |

● Bolt or Stud 1/2-13    ⊕ Thread Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 in Pistons    ⊗ Air Inlet 1/4 N.P.T.  
 ⊗ Combination Stud/Air Inlet    Stud Outside Thread is 3/4-16    Studs Inside Thread (Air Inlet) is 1/4 N.P.T.

|                                                                                                                                   | CROSS SECTION VIEW | TOP PLATE VIEW | PISTON BOTTOM VIEW | REPLACES                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PART #</b><br>1DK23L-9192<br><b>WEIGHT</b><br>24.73 lbs.<br><b>SERVICE ASSY. #</b><br>1DK23L-9102<br><b>BELLOW #</b><br>1DK23L |                    |                |                    | Firestone: 9192<br>Goodyear: 1R12-167<br>Hendrickson: S6195<br>Load Guard (Leland): SC2102<br>Navistar: 1681738C1, 1681740C1<br>Neway: 90557086, 90557108, 90557135 28° LH, 90557136 28° RH<br>Triangle: 8326<br>Watson & Chalin: AS0038, AS0046 |
| <b>PART #</b><br>1DK23L-9241<br><b>WEIGHT</b><br>25.35 lbs.<br><b>SERVICE ASSY. #</b><br>1DK23L-130<br><b>BELLOW #</b><br>1DK23L  |                    |                |                    | Firestone: 9241<br>Goodyear: 1R12-142<br>Hendrickson: S4375<br>Load Guard (Leland): SC2108<br>Navistar: 1681579C1<br>Suspensions Inc.: 200041<br>Triangle: 8358                                                                                  |
| <b>PART #</b><br>1DK23L-9243<br><b>WEIGHT</b><br>19.00 lbs.<br><b>SERVICE ASSY. #</b><br>NA<br><b>BELLOW #</b><br>1DK23L          |                    |                |                    | Firestone: 9243<br>Goodyear: 1R12-480<br>Neway: 90557112<br>Triangle: 8384<br>Watson & Chalin: AS0061                                                                                                                                            |
| <b>PART #</b><br>1DK23L-9265<br><b>WEIGHT</b><br>24.70 lbs.<br><b>SERVICE ASSY. #</b><br>NA<br><b>BELLOW #</b><br>1DK23L          |                    |                |                    | Firestone: 9265<br>Goodyear: 1R12-375<br>Hendrickson: S20124<br>Triangle: 8435                                                                                                                                                                   |



● Bolt or Stud 1/2-13   
● Thread Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 in Pistons   
⊗ Air Inlet 1/4 N.P.T.  
⊗ Combination Stud/Air Inlet   
Stud Outside Thread is 3/4-16   
Studs Inside Thread (Air Inlet) is 1/4 N.P.T.

# ROLLING LOBE

|                                                                                                                                      | CROSS SECTION VIEW | TOP PLATE VIEW | PISTON BOTTOM VIEW | REPLACES                                                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PART #</b><br>1DK23L-9371<br><br><b>WEIGHT</b><br>24.81 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>1DK23L |                    |                |                    | Firestone: 9371<br>Goodyear: 1R12-401,<br>Navistar: 1670043C1,<br>1686386C1, 2027911C1<br>Triangle: 8521                                                                                                    |
| <b>PART #</b><br>1DK23N-9321<br><br><b>WEIGHT</b><br>21.31 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>1DK23N |                    |                |                    | Firestone: 9321<br>Goodyear: 1R12-256<br>Load Guard (Leland): SC2120<br>Triangle: 8361<br>Watson & Chalin: AS0036                                                                                           |
| <b>PART #</b><br>1DK23N-9370<br><br><b>WEIGHT</b><br>18.31 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>1DK23N |                    |                |                    | Firestone: 9370<br>Goodyear: 1R12-503,<br>Triangle: 8448<br>Watson & Chalin: AS0057                                                                                                                         |
| <b>PART #</b><br>1DK28A-8050<br><br><b>WEIGHT</b><br>23.66 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>1DK28A |                    |                |                    | Firestone: 8050<br>Goodyear: 1R14-039<br>Hendrickson: S36514-13,<br>S4771, S12514-013<br>Load Guard (Leland): SC2052<br>Navistar: 1685174C1<br>Reyco: 23631-01<br>Triangle: 8320<br>Watson & Chalin: AS0039 |

● Bolt or Stud 1/2-13    ⊕ Thread Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 in Pistons    ⊗ Air Inlet 1/4 N.P.T.  
 ⊗ Combination Stud/Air Inlet    Stud Outside Thread is 3/4-16    Studs Inside Thread (Air Inlet) is 1/4 N.P.T.

|                                                                                                                                     | CROSS SECTION VIEW | TOP PLATE VIEW | PISTON BOTTOM VIEW | REPLACES                                                                                                                                                                                                                                                                              |
|-------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PART #</b><br>SP2B12R-6897<br><br><b>WEIGHT</b><br>6.40 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>2B12R |                    |                |                    | Firestone: 6897<br>Goodyear: 2B9-229<br>Triangle: 4505<br>Watson & Chalin: AS0058                                                                                                                                                                                                     |
| <b>PART #</b><br>SP2B12R-6902<br><br><b>WEIGHT</b><br>7.20 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>2B12R |                    |                |                    | Firestone: 6902<br>Goodyear: 2B9-201<br>Granning: 4848<br>Hendrickson: S2630<br>Load Guard (Leland): SC2010<br>Navistar: 554784C1<br>Neway: 57006902<br>R & S Truck & Body: 1027505<br>Ridewell: 1003586902C<br>Suspensions Inc.: 200042<br>Triangle: 4310<br>Watson & Chalin: AS0002 |
| <b>PART #</b><br>SP2B12R-6905<br><br><b>WEIGHT</b><br>7.20 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>2B12R |                    |                |                    | EZ Ride: 8030120<br>Firestone: 6905<br>Goodyear: 2B9-206<br>Hendrickson: S3518, S5270, 458431<br>Load Guard (Leland): SC2071<br>Navistar: 1685175C1<br>Ridewell: 1003586905C<br>Triangle: 4315<br>Watson & Chalin: AS0020                                                             |
| <b>PART #</b><br>SP2B12R-6910<br><br><b>WEIGHT</b><br>6.40 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>2B12R |                    |                |                    | Firestone: 6910<br>Goodyear: 2B9-200<br>Granning: 1371<br>Hendrickson: S8768, 458433<br>Load Guard (Leland): SC2011<br>Navistar: 554783C1<br>Neway: 57006910<br>R & S Truck & Body: 1027405<br>Ridewell: 1003586910C<br>Triangle: 4320<br>Watson & Chalin: AS0001                     |



● Bolt or Stud 1/2-13   
⊕ Thread Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 in Pistons   
⊗ Air Inlet 1/4 N.P.T.  
⊗ Combination Stud/Air Inlet   
Stud Outside Thread is 3/4-16   
Studs Inside Thread (Air Inlet) is 1/4 N.P.T.

# DOUBLE CONVOLUTED

|                                                                                                                                       | CROSS SECTION VIEW | TOP PLATE VIEW | PISTON BOTTOM VIEW | REPLACES                                                                                                                                                                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------------|--------------------|----------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PART #</b><br>SP2B12RA-6944<br><br><b>WEIGHT</b><br>7.20 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>2B12RA |                    |                |                    | Firestone: 6944<br>Goodyear: 2B9-252<br>HiSteer: 10307<br>Load Guard (Leland): SC2124<br>Suspensions Inc.: 200118<br>Triangle: 4454                                                                                                                                                                                              |
| <b>PART #</b><br>SP2B22R-7400<br><br><b>WEIGHT</b><br>11.90 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>2B22R  |                    |                |                    | Fab Tek: 040080<br>Firestone: 7400<br>Freightliner: 1610769000<br>GMC: 693230<br>Goodyear: 2B12-309<br>Granning: 2726<br>Hendrickson: S1013<br>Load Guard (Leland): SC2020<br>Navistar: 554788C1<br>Neway: 90557016, TC1444<br>R & S Truck & Body: 1027519<br>Ridewell: 1003587400C<br>Triangle: 4313<br>Watson & Chalin: AS0003 |
| <b>PART #</b><br>SP2B22R-7403<br><br><b>WEIGHT</b><br>11.90 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>2B22R  |                    |                |                    | Firestone: 7403<br>Goodyear: 2B12-307<br>Granning: 2725<br>Hendrickson: S1159, S2883, S12514-001<br>Load Guard (Leland): SC2021<br>Navistar: 554787C1<br>R & S. Truck & Body: 1040201<br>Triangle: 4318<br>Watson & Chalin: AS0007                                                                                               |
| <b>PART #</b><br>SP2B22R-7410<br><br><b>WEIGHT</b><br>11.90 lbs.<br><br><b>SERVICE ASSY. #</b><br>NA<br><br><b>BELLOW #</b><br>2B22R  |                    |                |                    | Firestone: 7410<br>Freightliner: 1611378000<br>Goodyear: 2B12-406<br>Load Guard (Leland): SC2023<br>Navistar: 554792C1<br>Triangle: 4331                                                                                                                                                                                         |


● Bolt or Stud 1/2-13    ⊕ Thread Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 in Pistons    ⊗ Air Inlet 1/4 N.P.T.  
 ⊗ Combination Stud/Air Inlet    Stud Outside Thread is 3/4-16    Studs Inside Thread (Air Inlet) is 1/4 N.P.T.

|                                                                                                                          | CROSS SECTION VIEW | TOP PLATE VIEW | PISTON BOTTOM VIEW | REPLACES                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------------------------------------------------|--------------------|----------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>PART #</b><br>SP2B34R-7135<br><b>WEIGHT</b><br>15.00 lbs.<br><b>SERVICE ASSY. #</b><br>NA<br><b>BELLOW #</b><br>2B34R |                    |                |                    | Firestone: 7135<br>Goodyear: 2B14-360<br>Hendrickson: S12514-014, S13034<br>Load Guard (Leland): SC2013<br>Navistar: 554800C1<br>Neway: 90557001, AR21A<br>Ridewell: 1003587135C<br>Triangle: 4311<br>Truckstell (Marion Mfg.): 63641, 63644 |
| <b>PART #</b><br>SP2B34R-7136<br><b>WEIGHT</b><br>17.00 lbs.<br><b>SERVICE ASSY. #</b><br>NA<br><b>BELLOW #</b><br>2B34R |                    |                |                    | Firestone: 7136<br>Goodyear: 2B14-356<br>Granning: 1626<br>Hendrickson: S1080<br>Load Guard (Leland): SC2014<br>Navistar: 554798C1<br>R & S Truck & Body: 1027556<br>Ridewell: 1003587136C<br>Triangle: 4321<br>Watson & Chalin: AS0004      |
| <b>PART #</b><br>SP2B34R-7140<br><b>WEIGHT</b><br>17.00 lbs.<br><b>SERVICE ASSY. #</b><br>NA<br><b>BELLOW #</b><br>2B34R |                    |                |                    | Firestone: 7140<br>Goodyear: 2B14-359<br>Granning: 1015<br>Hendrickson: S3184<br>Load Guard (Leland): SC2015<br>Navistar: 554799C1<br>R & S Truck & Body: 1090214<br>Ridewell: 1003587140C<br>Triangle: 4316<br>Watson & Chalin: AS0008      |
|                                                                                                                          |                    |                |                    |                                                                                                                                                                                                                                              |




● Bolt or Stud 1/2-13    ⊕ Thread Hole 3/8-16 Blind Nut on Bead Plates 1/2-13 in Pistons    ⊗ Air Inlet 1/4 N.P.T.  
⊗ Combination Stud/Air Inlet    Stud Outside Thread is 3/4-16    Studs Inside Thread (Air Inlet) is 1/4 N.P.T.


# HEIGHT CONTROL VALVES



| Height Control Valve |                                                     |
|----------------------|-----------------------------------------------------|
| Automann #           | 171.H00450CE                                        |
| Description          | Height Control Valve                                |
| OEM                  | H00450CE                                            |
| Aftermarket          | 334-750, E9623, AS1322, H00450CE                    |
| Notes                | For Tractor Cab or Chassis and Trailer Applications |




| Height Control Valve |                                                                                    |
|----------------------|------------------------------------------------------------------------------------|
| Automann #           | 171.H00500C                                                                        |
| Description          | Height Control Valve                                                               |
| OEM                  | H00500C                                                                            |
| Aftermarket          | 334-1581, E9624, AS1323                                                            |
| Notes                | Height Control Valve with Integral Dump Valve for Tractor and Trailer Applications |



| Leveling Valve |                                                                                                       |
|----------------|-------------------------------------------------------------------------------------------------------|
| Automann #     | 171.H00500CA                                                                                          |
| Description    | Leveling Valve                                                                                        |
| OEM            | H00500CA                                                                                              |
| Aftermarket    | 334-1581, E11293                                                                                      |
| Notes          | Valve kit with Integral Dump & Reverse Actuation Valve for Automatic Dump. Trailer Applications Only. |


## Height Control Valve

|                    |                                                                   |
|--------------------|-------------------------------------------------------------------|
| <b>Automann #</b>  | 171.H00600P                                                       |
| <b>Description</b> | Height Control Valve                                              |
| <b>OEM</b>         | H00600P                                                           |
| <b>Aftermarket</b> |                                                                   |
| <b>Notes</b>       | For Cab Air Suspension Applications<br>One Lever Linkage Included |




## Height Control Valve

|                    |                                                                 |
|--------------------|-----------------------------------------------------------------|
| <b>Automann #</b>  | 171.LV100                                                       |
| <b>Description</b> | Height Control Valve                                            |
| <b>OEM</b>         | 90054007                                                        |
| <b>Aftermarket</b> | EM36440, S8718, E4323, N173, 334750, M3263                      |
| <b>Notes</b>       | Neway Multiple Applications. All Ports 0.125\" PT<br>Delay Type |




## Universal Leveling Valve with Kit

|                    |                                                                       |
|--------------------|-----------------------------------------------------------------------|
| <b>Automann #</b>  | 171.H184                                                              |
| <b>Description</b> | Universal Leveling Valve                                              |
| <b>OEM</b>         | 50433-001, 50433-002, 60826-00, 90054007                              |
| <b>Aftermarket</b> | H-15884-BA, 1237423D000                                               |
| <b>Notes</b>       | Universal Leveling Valve for Cab, Chassis and<br>Trailer applications |



# HEIGHT CONTROL VALVES



| Leveling Valve |                                   |
|----------------|-----------------------------------|
| Automann #     | 171.KN27000                       |
| Description    | Height Control Valve              |
| OEM            | KN27000                           |
| Aftermarket    | LCV3707, E4350, S9978             |
| Notes          | All Ports 0.250" PT No Delay Type |



| Leveling Valve |                                                                                                             |
|----------------|-------------------------------------------------------------------------------------------------------------|
| Automann #     | MSRK582                                                                                                     |
| Description    | Linkage Kit                                                                                                 |
| OEM            | SRK168                                                                                                      |
| Aftermarket    | EM36440002, SC322, NK547, 334751, E7852                                                                     |
| Notes          | Multiple Air Suspensions Vertical Mounting Only<br>One Assy. Per Height Control Valve. Use with LV100 Valve |




| Linkage Kit |                                                        |
|-------------|--------------------------------------------------------|
| Automann #  | MSRK656                                                |
| Description | Linkage Kit                                            |
| OEM         | SRK205                                                 |
| Aftermarket | AS1315, E9838                                          |
| Notes       | Flexible Linkage Assembly<br>Use with 171.LV100 Valve. |


| Automann #  | MK16916                                  |
|-------------|------------------------------------------|
| Description | Air Spring Bracket                       |
| OEM         | K048449                                  |
| Aftermarket | 338-1844, E5075, E844-59, CS71331, E7631 |
| Notes       |                                          |



| Automann #  | AB9622P                           |
|-------------|-----------------------------------|
| Description | Air Spring Bracket                |
| OEM         |                                   |
| Aftermarket | 6049                              |
| Notes       | Use with 1DK20G-9622, 1DK20G-9625 |



| Automann #  | AB9371P                    |
|-------------|----------------------------|
| Description | Air Spring Bracket         |
| OEM         |                            |
| Aftermarket | 6047                       |
| Notes       | Use with 1DK23L-9371, 9648 |



# MANUFACTURER TO AUTOMANN

| MANUFACTURER | MANUFACTURER PART #  | AUTOMANN SPRING # | WEIGHT     | AUTOMANN SERVICE ASSY. # | PAGE # |
|--------------|----------------------|-------------------|------------|--------------------------|--------|
| EZ Ride      | 8030120              | SP2B12R-6905      | 7.20 lbs.  | NA                       | 11     |
| Fab Tek      | 04-0080              | SP2B22R-7400      | 11.90 lbs. | NA                       | 12     |
| Fab-Tek      | 101827               | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Ford         | E9HZ5580A            | 1DK23K-9466       | 16.50 lbs. | NA                       | 8      |
| Freightliner | (plastic) 1613810000 | 1DK23I-9780       | 24.00 lbs. | NA                       | 6      |
| Freightliner | (alum.) 6813200017   | 1DK23I-9780       | 24.00 lbs. | NA                       | 6      |
| Freightliner | 1610769000           | SP2B22R-7400      | 11.90 lbs. | NA                       | 12     |
| Freightliner | 1611378000           | SP2B22R-7410      | 11.90 lbs. | NA                       | 12     |
| Fruehauf     | UCE93931             | 1DK23L-9130       | 17.63 lbs. | 1DK23L-130               | 8      |
| GMC          | 693230               | SP2B22R-7400      | 11.90 lbs. | NA                       | 12     |
| Granning     | 1015                 | SP2B34R-7140      | 17.00 lbs. | NA                       | 12     |
| Granning     | 1359                 | 1DK23K-9083       | 20.14 lbs. | 1DK23K-9080              | 7      |
| Granning     | 1371                 | SP2B12R-6910      | 6.40 lbs.  | NA                       | 11     |
| Granning     | 1528                 | 1DK23K-9083       | 20.14 lbs. | 1DK23K-9080              | 7      |
| Granning     | 1626                 | SP2B34R-7136      | 17.00 lbs. | NA                       | 13     |
| Granning     | 2725                 | SP2B22R-7403      | 11.90 lbs. | NA                       | 12     |
| Granning     | 2726                 | SP2B22R-7400      | 11.90 lbs. | NA                       | 12     |
| Granning     | 4848                 | SP2B12R-6902      | 7.20 lbs.  | NA                       | 11     |
| Granning     | 5065                 | 1DK23H-9105       | 16.68 lbs. | 1DK23H-0725              | 6      |
| Hendrickson  | 49048                | 1DK23K-9466       | 16.50 lbs. | NA                       | 8      |
| Hendrickson  | 45843-1              | SP2B12R-6905      | 7.20 lbs.  | NA                       | 11     |
| Hendrickson  | 45843-3              | SP2B12R-6910      | 6.40 lbs.  | NA                       | 11     |
| Hendrickson  | S1013                | SP2B22R-7400      | 11.90 lbs. | NA                       | 12     |
| Hendrickson  | S1080                | SP2B34R-7136      | 17.00 lbs. | NA                       | 13     |
| Hendrickson  | S1159                | SP2B22R-7403      | 11.90 lbs. | NA                       | 12     |
| Hendrickson  | S11650               | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Hendrickson  | S11651               | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Hendrickson  | S1245                | 1DK23H-9105       | 16.68 lbs. | 1DK23H-0725              | 6      |
| Hendrickson  | S12514-001           | SP2B22R-7403      | 11.90 lbs. | NA                       | 12     |
| Hendrickson  | S12514-007           | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Hendrickson  | S12514-008           | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Hendrickson  | S12514-010           | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Hendrickson  | S12514-013           | 1DK28A-8050       | 23.66 lbs. | NA                       | 10     |
| Hendrickson  | S12514-014           | SP2B34R-7135      | 15.00 lbs. | NA                       | 13     |
| Hendrickson  | S13031               | 1DK23I-9069       | 14.45 lbs. | 1DK23I-0709              | 6      |
| Hendrickson  | S13032               | 1DK20D-9422       | 12.10 lbs. | NA                       | 4      |
| Hendrickson  | S13034               | SP2B34R-7135      | 15.00 lbs. | NA                       | 13     |
| Hendrickson  | S13160               | 1D28G-9121        | 23.76 lbs. | 1D28G-9123               | 4      |
| Hendrickson  | S1561                | 1DK23K-9083       | 20.14 lbs. | 1DK23K-9080              | 7      |
| Hendrickson  | S20010               | 1DK23I-9270       | 23.15 lbs. | NA                       | 6      |
| Hendrickson  | S20124               | 1DK23L-9265       | 24.70 lbs. | NA                       | 9      |
| Hendrickson  | S2064                | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Hendrickson  | S2066                | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Hendrickson  | S2630                | SP2B12R-6902      | 7.20 lbs.  | NA                       | 11     |
| Hendrickson  | S2883                | SP2B22R-7403      | 11.90 lbs. | NA                       | 12     |
| Hendrickson  | S3184                | SP2B34R-7140      | 17.00 lbs. | NA                       | 13     |
| Hendrickson  | S3467                | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Hendrickson  | S3518                | SP2B12R-6905      | 7.20 lbs.  | NA                       | 11     |
| Hendrickson  | S36514-13            | 1DK28A-8050       | 23.66 lbs. | NA                       | 10     |
| Hendrickson  | S36514-2             | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Hendrickson  | S36514-7             | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Hendrickson  | S36514-8             | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Hendrickson  | S3830                | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Hendrickson  | S4375                | 1DK23L-9241       | 25.35 lbs. | 1DK23L-130               | 9      |

| MANUFACTURER             | MANUFACTURER PART # | AUTOMANN SPRING # | WEIGHT     | AUTOMANN SERVICE ASSY. # | PAGE # |
|--------------------------|---------------------|-------------------|------------|--------------------------|--------|
| Hendrickson              | S4771               | 1DK28A-8050       | 23.66 lbs. | NA                       | 10     |
| Hendrickson              | S5270               | SP2B12R-6905      | 7.20 lbs.  | NA                       | 11     |
| Hendrickson              | S6195               | 1DK23L-9192       | 24.73 lbs. | 1DK23L-9102              | 9      |
| Hendrickson              | S8768               | SP2B12R-6910      | 6.40 lbs.  | NA                       | 11     |
| Hendrickson/Mack         | 49674               | 1DK23K-9466       | 16.50 lbs. | NA                       | 8      |
| Hendrickson/Mack         | 49674-1             | 1DK23K-9466       | 16.50 lbs. | NA                       | 8      |
| Hendrickson/Mack         | 49674-2             | 1DK23K-9466       | 16.50 lbs. | NA                       | 8      |
| HiSteer                  | 10307               | SP2B12RA-6944     | 7.20 lbs.  | NA                       | 12     |
| Hutchens                 | H9424-01            | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Hutchens                 | H9424-03            | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Hutchens                 | H9630-01            | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Kenworth                 | K30314              | 1DK20D-9422       | 12.10 lbs. | NA                       | 4      |
| Kenworth                 | K30315              | 1DK20D-9422       | 12.10 lbs. | NA                       | 4      |
| Kenworth                 | K30322              | 1DK20G-9622       | 11.58 lbs. | NA                       | 5      |
| Kenworth                 | K30325              | 1DK20H-9625       | 14.62 lbs. | NA                       | 5      |
| Kenworth                 | K3036               | 1DK20D-9422       | 12.10 lbs. | NA                       | 4      |
| Kwik Lok/Todco (Jifflox) | CP5125              | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Kwik Lok/Todco (Jifflox) | CP5152              | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Load Guard (Leland)      | SC2010              | SP2B12R-6902      | 7.20 lbs.  | NA                       | 11     |
| Load Guard (Leland)      | SC2011              | SP2B12R-6910      | 6.40 lbs.  | NA                       | 11     |
| Load Guard (Leland)      | SC2013              | SP2B34R-7135      | 15.00 lbs. | NA                       | 13     |
| Load Guard (Leland)      | SC2014              | SP2B34R-7136      | 17.00 lbs. | NA                       | 13     |
| Load Guard (Leland)      | SC2015              | SP2B34R-7140      | 17.00 lbs. | NA                       | 13     |
| Load Guard (Leland)      | SC2020              | SP2B22R-7400      | 11.90 lbs. | NA                       | 12     |
| Load Guard (Leland)      | SC2021              | SP2B22R-7403      | 11.90 lbs. | NA                       | 12     |
| Load Guard (Leland)      | SC2023              | SP2B22R-7410      | 11.90 lbs. | NA                       | 12     |
| Load Guard (Leland)      | SC2033              | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Load Guard (Leland)      | SC2034              | 1DK23I-9069       | 14.45 lbs. | 1DK23I-0709              | 6      |
| Load Guard (Leland)      | SC2035              | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Load Guard (Leland)      | SC2036              | 1DK23K-9083       | 20.14 lbs. | 1DK23K-9080              | 7      |
| Load Guard (Leland)      | SC2038              | 1DK23L-9101       | 25.35 lbs. | 1DK23L-9102              | 8      |
| Load Guard (Leland)      | SC2039              | 1DK23H-9105       | 16.68 lbs. | 1DK23H-0725              | 6      |
| Load Guard (Leland)      | SC2040              | 1D28G-9121        | 23.76 lbs. | 1D28G-9123               | 4      |
| Load Guard (Leland)      | SC2048              | 1DK23K-9213       | 21.00 lbs. | 1DK23K-0748              | 7      |
| Load Guard (Leland)      | SC2050              | 1DK20D-9422       | 12.10 lbs. | NA                       | 4      |
| Load Guard (Leland)      | SC2052              | 1DK28A-8050       | 23.66 lbs. | NA                       | 10     |
| Load Guard (Leland)      | SC2070              | 1DK23K-9219       | 21.00 lbs. | 1DK23K-0748              | 8      |
| Load Guard (Leland)      | SC2071              | SP2B12R-6905      | 7.20 lbs.  | NA                       | 11     |
| Load Guard (Leland)      | SC2098              | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Load Guard (Leland)      | SC2102              | 1DK23L-9192       | 24.73 lbs. | 1DK23L-9102              | 9      |
| Load Guard (Leland)      | SC2108              | 1DK23L-9241       | 25.35 lbs. | 1DK23L-130               | 9      |
| Load Guard (Leland)      | SC2120              | 1DK23N-9321       | 21.31 lbs. | NA                       | 10     |
| Load Guard (Leland)      | SC2124              | SP2B12RA-6944     | 7.20 lbs.  | NA                       | 12     |
| Load Guard (Leland)      | SC2175              | 1DK23K-9466       | 16.50 lbs. | NA                       | 8      |
| Mack                     | 57QL411M            | 1DK23K-9466       | 16.50 lbs. | NA                       | 8      |
| Navistar                 | 1660581C1           | 1DK23K-9213       | 21.00 lbs. | 1DK23K-0748              | 7      |
| Navistar                 | 1670043C1           | 1DK23L-9371       | 24.81 lbs. | NA                       | 10     |
| Navistar                 | 1681579C1           | 1DK23L-9241       | 25.35 lbs. | 1DK23L-130               | 9      |
| Navistar                 | 1681738C1           | 1DK23L-9192       | 24.73 lbs. | 1DK23L-9102              | 9      |
| Navistar                 | 1681739C1           | 1DK23K-9219       | 21.00 lbs. | 1DK23K-0748              | 8      |
| Navistar                 | 1681740C1           | 1DK23L-9192       | 24.73 lbs. | 1DK23L-9102              | 9      |
| Navistar                 | 1681748C1           | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Navistar                 | 1681749C1           | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Navistar                 | 1685174C1           | 1DK28A-8050       | 23.66 lbs. | NA                       | 10     |



\* Service Assemblies are interchangeable **ONLY** with Firestone and not with Goodyear.

# MANUFACTURER TO AUTOMANN

| MANUFACTURER | MANUFACTURER PART #         | AUTOMANN SPRING # | WEIGHT     | AUTOMANN SERVICE ASSY. # | PAGE # |
|--------------|-----------------------------|-------------------|------------|--------------------------|--------|
| Navistar     | 1685175C1                   | SP2B12R-6905      | 7.20 lbs.  | NA                       | 11     |
| Navistar     | 1686386C1                   | 1DK23L-9371       | 24.81 lbs. | NA                       | 10     |
| Navistar     | 2027911C1                   | 1DK23L-9371       | 24.81 lbs. | NA                       | 10     |
| Navistar     | 501559C1                    | 1DK23K-9213       | 21.00 lbs. | 1DK23K-0748              | 7      |
| Navistar     | 501559C2                    | 1DK23K-9213       | 21.00 lbs. | 1DK23K-0748              | 7      |
| Navistar     | 517559C9                    | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Navistar     | 554762C1                    | 1DK20D-9422       | 12.10 lbs. | NA                       | 4      |
| Navistar     | 554763C1                    | 1DK23K-9083       | 20.14 lbs. | 1DK23K-9080              | 7      |
| Navistar     | 554764C1                    | 1DK23I-9069       | 14.45 lbs. | 1DK23I-0709              | 6      |
| Navistar     | 554766C1                    | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Navistar     | 554770C1                    | 1DK23H-9105       | 16.68 lbs. | 1DK23H-0725              | 6      |
| Navistar     | 554773C1                    | 1D28G-9121        | 23.76 lbs. | 1D28G-9123               | 4      |
| Navistar     | 554783C1                    | SP2B12R-6910      | 6.40 lbs.  | NA                       | 11     |
| Navistar     | 554784C1                    | SP2B12R-6902      | 7.20 lbs.  | NA                       | 11     |
| Navistar     | 554787C1                    | SP2B22R-7403      | 11.90 lbs. | NA                       | 12     |
| Navistar     | 554788C1                    | SP2B22R-7400      | 11.90 lbs. | NA                       | 12     |
| Navistar     | 554792C1                    | SP2B22R-7410      | 11.90 lbs. | NA                       | 12     |
| Navistar     | 554798C1                    | SP2B34R-7136      | 17.00 lbs. | NA                       | 13     |
| Navistar     | 554799C1                    | SP2B34R-7140      | 17.00 lbs. | NA                       | 13     |
| Navistar     | 554800C1                    | SP2B34R-7135      | 15.00 lbs. | NA                       | 13     |
| Neway        | (parallel align.) 90557110  | 1D28G-9121        | 23.76 lbs. | 1D28G-9123               | 4      |
| Neway        | (special mounting) 90557033 | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Neway        | 57006902                    | SP2B12R-6902      | 7.20 lbs.  | NA                       | 11     |
| Neway        | 57006910                    | SP2B12R-6910      | 6.40 lbs.  | NA                       | 11     |
| Neway        | 57009083                    | 1DK23K-9083       | 20.14 lbs. | 1DK23K-9080              | 7      |
| Neway        | 90044701                    | 1DK23L-9101       | 25.35 lbs. | 1DK23L-9102              | 8      |
| Neway        | 90557001                    | SP2B34R-7135      | 15.00 lbs. | NA                       | 13     |
| Neway        | 90557006                    | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Neway        | 90557008                    | 1DK23L-9101       | 25.35 lbs. | 1DK23L-9102              | 8      |
| Neway        | 90557009                    | 1DK23L-9101       | 25.35 lbs. | 1DK23L-9102              | 8      |
| Neway        | 90557011                    | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Neway        | 90557016                    | SP2B22R-7400      | 11.90 lbs. | NA                       | 12     |
| Neway        | 90557019                    | 1D28G-9121        | 23.76 lbs. | 1D28G-9123               | 4      |
| Neway        | 90557020                    | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Neway        | 90557023                    | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Neway        | 90557027                    | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Neway        | 90557037                    | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Neway        | 90557052                    | 1D28G-9121        | 23.76 lbs. | 1D28G-9123               | 4      |
| Neway        | 90557054                    | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Neway        | 90557071                    | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Neway        | 90557075                    | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Neway        | 90557076                    | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Neway        | 90557077                    | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Neway        | 90557078                    | 1D28G-9121        | 23.76 lbs. | 1D28G-9123               | 4      |
| Neway        | 90557082                    | 1DK23L-9101       | 25.35 lbs. | 1DK23L-9102              | 8      |
| Neway        | 90557083                    | 1D28G-9121        | 23.76 lbs. | 1D28G-9123               | 4      |
| Neway        | 90557085                    | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Neway        | 90557086                    | 1DK23L-9192       | 24.73 lbs. | 1DK23L-9102              | 9      |
| Neway        | 90557108                    | 1DK23L-9192       | 24.73 lbs. | 1DK23L-9102              | 9      |
| Neway        | 90557112                    | 1DK23L-9243       | 19.00 lbs. | NA                       | 9      |
| Neway        | 90557120                    | 1DK20F-9293       | 11.60 lbs. | NA                       | 4      |
| Neway        | 90557121                    | 1DK20F-9295       | 12.10 lbs. | NA                       | 5      |
| Neway        | 90557129                    | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Neway        | 90557135 280 LH             | 1DK23L-9192       | 24.73 lbs. | 1DK23L-9102              | 9      |

| MANUFACTURER             | MANUFACTURER PART # | AUTOMANN SPRING # | WEIGHT     | AUTOMANN SERVICE ASSY. # | PAGE # |
|--------------------------|---------------------|-------------------|------------|--------------------------|--------|
| Neway                    | 90557136 280 RH     | 1DK23L-9192       | 24.73 lbs. | 1DK23L-9102              | 9      |
| Neway                    | AR11151G            | 1D28G-9121        | 23.76 lbs. | 1D28G-9123               | 4      |
| Neway                    | AR14151F            | 1DK23L-9101       | 25.35 lbs. | 1DK23L-9102              | 18     |
| Neway                    | AR15171F            | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Neway                    | AR15171G            | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Neway                    | AR21A               | SP2B34R-7135      | 15.00 lbs. | NA                       | 13     |
| Neway                    | TC1444              | SP2B22R-7400      | 11.90 lbs. | NA                       | 12     |
| Peterbilt                | (Air-Trac)03-02038  | 1DK23I-9069       | 14.45 lbs. | 1DK23I-0709              | 6      |
| Peterbilt                | 03-01649            | 1DK23I-9069       | 14.45 lbs. | 1DK23I-0709              | 6      |
| Peterbilt                | 03-02456            | 1DK23I-9069       | 14.45 lbs. | 1DK23I-0709              | 6      |
| Peterbilt                | 03-04759            | 1DK23I-9069       | 14.45 lbs. | 1DK23I-0709              | 6      |
| Peterbilt                | 03-06213            | 1DK23K-9026       | 14.80 lbs. | NA                       | 7      |
| Peterbilt                | 03-06746            | 1DK23I-9069       | 14.45 lbs. | 1DK23I-0709              | 6      |
| Peterbilt                | 03-07111            | 1DK23K-9026       | 14.80 lbs. | NA                       | 7      |
| Peterbilt                | 03-07112            | 1DK23I-9069       | 14.45 lbs. | 1DK23I-0709              | 6      |
| R & S Truck & Body       | 1027405             | SP2B12R-6910      | 6.40 lbs.  | NA                       | 11     |
| R & S Truck & Body       | 1027505             | SP2B12R-6902      | 7.20 lbs.  | NA                       | 11     |
| R & S Truck & Body       | 1027519             | SP2B22R-7400      | 11.90 lbs. | NA                       | 12     |
| R & S Truck & Body       | 1027556             | SP2B34R-7136      | 17.00 lbs. | NA                       | 13     |
| R & S Truck & Body       | 1090023             | 1D28G-9121        | 23.76 lbs. | 1D28G-9123               | 4      |
| R & S Truck & Body       | 1090214             | SP2B34R-7140      | 17.00 lbs. | NA                       | 13     |
| R & S Truck & Body       | 1090217             | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| R & S Truck & Body       | 1090218             | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| R & S. Truck & Body      | 1040201             | SP2B22R-7403      | 11.90 lbs. | NA                       | 12     |
| Reyco                    | 12882-01            | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Reyco                    | 12882-02            | 1D28G-9121        | 23.76 lbs. | 1D28G-9123               | 4      |
| Reyco                    | 12883-01            | 1DK23L-9101       | 25.35 lbs. | 1DK23L-9102              | 8      |
| Reyco                    | 12883-02            | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Reyco                    | 23631-01            | 1DK28A-8050       | 23.66 lbs. | NA                       | 10     |
| Ridewell                 | 1003586902C         | SP2B12R-6902      | 7.20 lbs.  | NA                       | 11     |
| Ridewell                 | 1003586905C         | SP2B12R-6905      | 7.20 lbs.  | NA                       | 11     |
| Ridewell                 | 1003586910C         | SP2B12R-6910      | 6.40 lbs.  | NA                       | 11     |
| Ridewell                 | 1003587135C         | SP2B34R-7135      | 15.00 lbs. | NA                       | 13     |
| Ridewell                 | 1003587136C         | SP2B34R-7136      | 17.00 lbs. | NA                       | 13     |
| Ridewell                 | 1003587140C         | SP2B34R-7140      | 17.00 lbs. | NA                       | 13     |
| Ridewell                 | 1003587400C         | SP2B22R-7400      | 11.90 lbs. | NA                       | 12     |
| Ridewell                 | 1003589082C         | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Ridewell                 | 1003589083C         | 1DK23K-9083       | 20.14 lbs. | 1DK23K-9080              | 7      |
| Ridewell                 | 1003589101C         | 1DK23L-9101       | 25.35 lbs. | 1DK23L-9102              | 8      |
| Ridewell                 | 1003589105C         | 1DK23H-9105       | 16.68 lbs. | 1DK23H-0725              | 6      |
| Ridewell                 | 1003589121C         | 1D28G-9121        | 23.76 lbs. | 1D28G-9123               | 4      |
| Ridewell                 | 1003589122C         | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Ridewell                 | 1013589039C         | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Ridewell                 | S3052-C             | 1D28G-9121        | 23.76 lbs. | 1D28G-9123               | 4      |
| Sauer                    | P50-732             | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Sauer                    | P50-733             | 1D28G-9121        | 23.76 lbs. | 1D28G-9123               | 4      |
| Sauer                    | P50-734             | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Suspensions Inc.         | 200041              | 1DK23L-9241       | 25.35 lbs. | 1DK23L-130               | 9      |
| Suspensions Inc.         | 200042              | SP2B12R-6902      | 7.20 lbs.  | NA                       | 11     |
| Suspensions Inc.         | 200118              | SP2B12RA-6944     | 7.20 lbs.  | NA                       | 12     |
| Truckstell (Marion Mfg.) | 63641               | SP2B34R-7135      | 15.00 lbs. | NA                       | 13     |
| Truckstell (Marion Mfg.) | 63644               | SP2B34R-7135      | 15.00 lbs. | NA                       | 13     |
| Truckstell (Marion Mfg.) | 63647               | 1DK23L-9101       | 25.35 lbs. | 1DK23L-9102              | 8      |
| Volvo/GM                 | 350033201           | 1DK23K-9219       | 21.00 lbs. | 1DK23K-0748              | 8      |



\* Service Assemblies are interchangeable **ONLY** with Firestone and not with Goodyear.

# MANUFACTURER TO AUTOMANN

| MANUFACTURER    | MANUFACTURER PART # | AUTOMANN SPRING # | WEIGHT     | AUTOMANN SERVICE ASSY. # | PAGE # |
|-----------------|---------------------|-------------------|------------|--------------------------|--------|
| Volvo/GM        | 350033203           | 1DK23K-9219       | 21.00 lbs. | 1DK23K-0748              | 8      |
| Volvo/GM        | 350033204           | 1DK23K-9219       | 21.00 lbs. | 1DK23K-0748              | 8      |
| Volvo/GM        | 350033209           | 1DK23K-9219       | 21.00 lbs. | 1DK23K-0748              | 8      |
| Watson & Chalin | AS0001              | SP2B12R-6910      | 6.40 lbs.  | NA                       | 11     |
| Watson & Chalin | AS0002              | SP2B12R-6902      | 7.20 lbs.  | NA                       | 11     |
| Watson & Chalin | AS0003              | SP2B22R-7400      | 11.90 lbs. | NA                       | 12     |
| Watson & Chalin | AS0004              | SP2B34R-7136      | 17.00 lbs. | NA                       | 12     |
| Watson & Chalin | AS0007              | SP2B22R-7403      | 11.90 lbs. | NA                       | 12     |
| Watson & Chalin | AS0008              | SP2B34R-7140      | 17.00 lbs. | NA                       | 13     |
| Watson & Chalin | AS0011              | 1DK23K-9082       | 20.94 lbs. | 1DK23K-0712              | 7      |
| Watson & Chalin | AS0012              | 1DK23F-9039       | 16.75 lbs. | 1DK23F-0702              | 5      |
| Watson & Chalin | AS0013              | 1D28G-9121        | 23.76 lbs. | 1D28G-9123               | 4      |
| Watson & Chalin | AS0015              | 1DK23H-9105       | 16.68 lbs. | 1DK23H-0725              | 6      |
| Watson & Chalin | AS0017              | 1DK20D-9422       | 12.10 lbs. | NA                       | 4      |
| Watson & Chalin | AS0020              | SP2B12R-6905      | 7.20 lbs.  | NA                       | 11     |
| Watson & Chalin | AS0023              | 1D28C-9122        | 24.65 lbs. | 1D28C-9124               | 4      |
| Watson & Chalin | AS0028              | 1DK23K-9083       | 20.14 lbs. | 1DK23K-9080              | 17     |
| Watson & Chalin | AS0036              | 1DK23N-9321       | 21.31 lbs. | NA                       | 10     |
| Watson & Chalin | AS0038              | 1DK23L-9192       | 24.73 lbs. | 1DK23L-9102              | 9      |
| Watson & Chalin | AS0039              | 1DK28A-8050       | 23.66 lbs. | NA                       | 10     |
| Watson & Chalin | AS0040              | 1DK23L-9101       | 25.35 lbs. | 1DK23L-9102              | 8      |
| Watson & Chalin | AS0046              | 1DK23L-9192       | 24.73 lbs. | 1DK23L-9102              | 9      |
| Watson & Chalin | AS0057              | 1DK23N-9370       | 18.31 lbs. | NA                       | 10     |
| Watson & Chalin | AS0058              | SP2B12R-6897      | 6.40 lbs.  | NA                       | 11     |
| Watson & Chalin | AS0061              | 1DK23L-9243       | 19.00 lbs. | NA                       | 9      |

## HEIGHT CONTROL VALVES & AIR SPRING BRACKETS

| MANUFACTURER | MANUFACTURER PART # | AUTOMANN #   | PAGE # |
|--------------|---------------------|--------------|--------|
| Hadley       | H00450CE            | 171.H00450CE | 14     |
| Hadley       | H00500C             | 171.H00500C  | 14     |
| Dayton       | 334-1581            | 171.H00500C  | 15     |
| Euclid       | E9624               | 171.H00500C  | 15     |
| Triangle     | AS1323              | 171.H00500C  | 15     |
| Hadley       | H00500CA            | 171.H00500CA | 14     |
| Hadley       | H00600P             | 171.H00600P  | 15     |
| Hendrickson  | 50433-001           | 171.H184     | 15     |
| Hendrickson  | 50433-002           | 171.H184     | 15     |
| Hendrickson  | 60826-000           | 171.H184     | 15     |
| Neway        | 90054007            | 171.H184     | 15     |
| Ridewell     | 1237423D000         | 171.H184     | 15     |
| Midland      | N15884BA            | 171.H184     | 15     |
| Midland      | KN27000             | 171.KN27000  | 16     |
| Neway        | 90054007            | 171.LV100    | 15     |
| Firestone    | 6047                | AB9371P      | 17     |
| Firestone    | 6049                | AB9622P      | 17     |
| Kenworth     | K048449             | MK16916      | 17     |
| Neway        | SRK168              | MSRK582      | 16     |
| Neway        | SRK205              | MSRK656      | 16     |



© 2005

| Goodyear # | Automann Air Spring # | Weight     | Automann Service Assy. # | Page # |
|------------|-----------------------|------------|--------------------------|--------|
| 1R10-120   | 1DK20F-9293           | 11.60 lbs. | NA                       | 4      |
| 1R11-028   | 1DK20D-9422           | 12.10 lbs. | NA                       | 4      |
| 1R11-166   | 1DK20F-9295           | 12.10 lbs. | NA                       | 5      |
| 1R11-221   | 1DK20G-9622           | 11.58 lbs. | NA                       | 5      |
| 1R11-222   | 1DK20H-9625           | 14.62 lbs. | NA                       | 5      |
| 1R12-066   | 1DK23K-9083           | 20.14 lbs. | 1DK23K-9080              | 7      |
| 1R12-069   | 1DK23I-9069           | 14.45 lbs. | 1DK23I-0709              | 6      |
| 1R12-090   | 1DK23K-9213           | 21.00 lbs. | 1DK23K-0748              | 7      |
| 1R12-092   | 1DK23K-9082           | 20.94 lbs. | 1DK23K-0712              | 7      |
| 1R12-095   | 1DK23F-9039           | 16.75 lbs. | 1DK23F-0702              | 5      |
| 1R12-103   | 1DK23L-9101           | 25.35 lbs. | 1DK23L-9102              | 8      |
| 1R12-132   | 1DK23H-9105           | 16.68 lbs. | 1DK23H-0725              | 6      |
| 1R12-142   | 1DK23L-9241           | 25.35 lbs. | 1DK23L-130               | 9      |
| 1R12-167   | 1DK23L-9192           | 24.73 lbs. | 1DK23L-9102              | 9      |
| 1R12-182   | 1DK23K-9219           | 21.00 lbs. | 1DK23K-0748              | 8      |
| 1R12-256   | 1DK23N-9321           | 21.31 lbs. | NA                       | 10     |
| 1R12-281   | 1DK23L-9130           | 17.63 lbs. | 1DK23L-130               | 8      |
| 1R12-303   | 1DK23I-9780           | 24.00 lbs. | NA                       | 6      |
| 1R12-365   | 1DK23K-9466           | 16.50 lbs. | NA                       | 8      |
| 1R12-375   | 1DK23L-9265           | 24.70 lbs. | NA                       | 9      |
| 1R12-401   | 1DK23L-9371           | 24.81 lbs. | NA                       | 10     |
| 1R12-480   | 1DK23L-9243           | 19.00 lbs. | NA                       | 9      |
| 1R12-503   | 1DK23N-9370           | 18.31 lbs. | NA                       | 10     |
| 1R12-567   | 1DK23K-9026           | 14.80 lbs. | NA                       | 7      |
| 1R13-039   | 1D28G-9121            | 23.76 lbs. | 1D28G-9123               | 4      |
| 1R13-119   | 1DK23I-9270           | 23.15 lbs. | NA                       | 6      |
| 1R14-039   | 1DK28A-8050           | 23.66 lbs. | NA                       | 10     |
| 1R14-045   | 1D28C-9122            | 24.65 lbs. | 1D28C-9124               | 4      |
| 2B12-307   | SP2B22R-7403          | 11.90 lbs. | NA                       | 12     |
| 2B12-309   | SP2B22R-7400          | 11.90 lbs. | NA                       | 12     |
| 2B12-406   | SP2B22R-7410          | 11.90 lbs. | NA                       | 12     |
| 2B14-356   | SP2B34R-7136          | 17.00 lbs. | NA                       | 13     |
| 2B14-359   | SP2B34R-7140          | 17.00 lbs. | NA                       | 13     |
| 2B14-360   | SP2B34R-7135          | 15.00 lbs. | NA                       | 13     |
| 2B9-200    | SP2B12R-6910          | 6.40 lbs.  | NA                       | 11     |
| 2B9-201    | SP2B12R-6902          | 7.20 lbs.  | NA                       | 11     |
| 2B9-206    | SP2B12R-6905          | 7.20 lbs.  | NA                       | 11     |
| 2B9-229    | SP2B12R-6897          | 6.40 lbs.  | NA                       | 11     |
| 2B9-252    | SP2B12RA-6944         | 7.20 lbs.  | NA                       | 12     |



# INDEX/BELLOW CROSS REFERENCE

| AUTOMANN COMPLETE<br>AIR SPRING # | AUTOMANN SERVICE<br>ASSEMBLY # | AUTOMANN BELLOW # | FIRESTONE BELLOW #         | GOODYEAR BELLOW #            | TRIANGLE BELLOW # | PAGE # |
|-----------------------------------|--------------------------------|-------------------|----------------------------|------------------------------|-------------------|--------|
| 1D28C-9122                        | 1D28C-9124                     | 1D28C             | 1T19F-11<br>1T19L-110      | 566-28-3-020                 | 6366              | 4      |
| 1D28G-9121                        | 1D28G-9123                     | 1D28G<br>1T19L-7  | 1T19F-7                    | 566-26-3-051                 | 6365              | 4      |
| 1DK20D-9422                       | NA                             | 1DK20D            | 1T15L-1.5                  | 566-22-3-021                 | 6368              | 4      |
| 1DK20F-9293                       | NA                             | 1DK20F            | 1T15LP-5<br>1T15AE-5       | 566-20-3-021                 | 6378              | 4      |
| 1DK20F-9295                       | NA                             | 1DK20F            | 1T15LP-5<br>1T15AE-5       | 566-24-3-048                 | 6378              | 5      |
| 1DK20G-9622                       | NA                             | 1DK20G            | 1T15LA-(-1)<br>1T15KW-(-1) | 566-22-3-021                 | 6397              | 5      |
| 1DK20H-9625                       | NA                             | 1DK20H            | 1T15LA0<br>1T15KW0         | 566-22-3-021                 | 6415              | 5      |
| 1DK23F-9039                       | 1DK23F-0702                    | 1DK23F            | 1T15M-0                    | 566-24-3-067                 | 6360              | 5      |
| 1DK23H-9105                       | 1DK23H-0725                    | 1DK23H            | 1T15M-2                    | 566-24-3-076                 | 6361              | 6      |
| 1DK23I-9069                       | 1DK23I-0709                    | 1DK23I            | 1T15M-4                    | 566-24-3-038                 | 6362              | 6      |
| 1DK23I-9270                       | NA                             | 1DK23I            | 1T15VM-4                   | 566-26-3-053                 | 6385              | 6      |
| 1DK23I-9780                       | NA                             | 1DK23I            | 1T15ZR-6                   | 566-24-3-275                 | 6363              | 6      |
| 1DK23K-9026                       | NA                             | 1DK23K            | 1T15M-6                    | NA                           | 6363              | 7      |
| 1DK23K-9082                       | 1DK23K-0712                    | 1DK23K            | 1T15M-6                    | 566-24-3-038                 | 6363              | 7      |
| 1DK23K-9083                       | 1DK23K-9080                    | 1DK23K            | 1T15M-6                    | 566-24-3-038                 | 6363              | 7      |
| 1DK23K-9213                       | 1DK23K-0748                    | 1DK23K            | 1T15M-6                    | 566-24-3-038                 | 6363              | 7      |
| 1DK23K-9219                       | 1DK23K-0748                    | 1DK23K            | 1T15M-6                    | 566-24-3-038                 | 6363              | 8      |
| 1DK23K-9466                       | NA                             | 1DK23K            | 1T15MT-6                   | 566-24-3-038                 | 6363              | 8      |
| 1DK23L-9101                       | 1DK23L-9102                    | 1DK23L            | 1T15M-9                    | 566-24-3-066                 | 6364              | 8      |
| 1DK23L-9130                       | 1DK23L-130                     | 1DK23L            | 1T15M-9                    | 566-24-3-066                 | 6364              | 8      |
| 1DK23L-9192                       | 1DK23L-9102                    | 1DK23L            | 1T15M-9                    | 566-24-3-066                 | 6364              | 9      |
| 1DK23L-9241                       | 1DK23L-130                     | 1DK23L            | 1T15M-9                    | 566-24-3-066                 | 6364              | 9      |
| 1DK23L-9243                       | NA                             | 1DK23L            | 1T15M-9                    | 566-24-3-066                 | 6364              | 9      |
| 1DK23L-9265                       | NA                             | 1DK23L            | 1T15MM-9                   | 566-24-3-066                 | 6387              | 9      |
| 1DK23L-9371                       | NA                             | 1DK23L            | 1T15MT-8                   | 566-24-3-038<br>566-24-1-000 | 6391              | 10     |
| 1DK23N-9321                       | NA                             | 1DK23N            | 1T15M-11                   | 566-24-3-090                 | 6373              | 10     |
| 1DK23N-9370                       | NA                             | 1DK23N            | 1T15M-11                   | NA                           | 6373              | 10     |
| 1DK28A-8050                       | NA                             | 1DK28A            | 1T19J-6                    | 566-28-3-015                 | 6367              | 10     |
| SP2B12R-6897                      | NA                             | 2B12R             | 20                         | 578-92-3-202                 | 6325              | 11     |
| SP2B12R-6902                      | NA                             | 2B12R             | 20                         | 578-92-3-202                 | 6325              | 11     |
| SP2B12R-6905                      | NA                             | 2B12R             | 20                         | 578-92-3-202                 | 6325              | 11     |
| SP2B12R-6910                      | NA                             | 2B12R             | 20                         | 578-92-3-202                 | 6325              | 11     |
| SP2B12RA-6944                     | NA                             | 2B12RA            | 20-2                       | 578-92-3-206                 | 6332              | 12     |
| SP2B22R-7400                      | NA                             | 2B22R             | 22                         | 578-92-3-309                 | 6316              | 12     |
| SP2B22R-7403                      | NA                             | 2B22R             | 22                         | 578-92-3-309                 | 6316              | 12     |
| SP2B22R-7410                      | NA                             | 2B22R             | 22                         | 578-92-3-309                 | 6316              | 12     |
| SP2B34R-7135                      | NA                             | 2B34R             | 21                         | 578-92-3-353                 | 6329              | 13     |
| SP2B34R-7136                      | NA                             | 2B34R             | 21                         | 578-92-3-353                 | 6329              | 13     |
| SP2B34R-7140                      | NA                             | 2B34R             | 21                         | 578-92-3-353                 | 6329              | 13     |

## NOTES

[illegible]

**AUTOMANN<sup>®</sup> AIR SPRINGS**  
German Engineered  
OEM Quality Replacements  
Manufactured by **PHOENIX**


28

**\* Service Assemblies are interchangeable *ONLY* with Firestone and not with Goodyear.**




# MARKETING & PROMOTIONAL TOOLS EXCLUSIVE FOR AUTOMANN DISTRIBUTORS


## ADDITIONAL REFERENCE CATALOGS



AIR BRAKE & WHEEL  
CAT-ABWE1



SUSPENSION & STEERING  
CAT-BD101



POLYURETHANE & RUBBER MOUNTS  
CAT-RU100



MASTER PRICE LIST  
FORM-PB203

## SHOWROOM BANNER



PR-SB

## DISTRIBUTOR POSTERS



PR-HEN



PR-FRH



PR-FRL



PR-BRK



*The ride parts for heavy duty... assured*

19 Industrial Avenue, Mahwah, NJ 07430 USA

email: [sales@automann.com](mailto:sales@automann.com)

website: [www.automann.com](http://www.automann.com)

customer service phone: 888-AUTOMANN

fax: 800-716-4583

west coast distribution

NorCal, 4520 N. Golden State Blvd., Turlock, CA 95382, USA

international tel: (201) 529-4996

international fax: (201) 529-3793